

HIGH PERFORMANCE PRECURED TREADS

HI-TECH DESIGNS
MAXIMUM MILEAGE



UNIPATCH RUBBER LIMITED

10, COMMUNITY CENTRE, SAKET, NEW DELHI - 110017, INDIA

A Joint Venture with TECH, U.S.A.



Regd. Trade Mark of TECH, U.S.A.

ADONIS
TREADS
Longer lasting




**MADE WITH
LATEST
TECHNOLOGY**
BLENDED POLYMER




HIGH ABRASION RESISTANT

VISCOELASTIC RUBBER COMPOUND


RADIAL PATTERNS




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
260	14.00	130	14.600
250	14.00	130	13.600
240	14.00	130	13.000
240E	15.00	147	15.800
230	14.00	130	12.500
230E	15.00	147	15.300
220	14.00	130	11.800
215	13.00	127	10.700
210	12.50	127	10.200
210	15.00	130	12.000
205	12.50	127	9.500
190	14.00	124	9.800
180	14.00	127	9.200
170	12.00	103	6.500
160	11.00	99	5.800




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
260	18.00	130	17.800
250	18.00	130	16.300
240	18.00	130	15.700
240E	18.00	147	18.000
230	14.00	130	12.000




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
260	14.00	130	14.300
250	14.00	130	13.000
240	14.00	130	12.600
230	18.00	136	16.300




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
270	20.50	130	18.900
260	20.50	147	20.700




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
260	15.00	130	14.800
260E	15.00	130	15.100
250	15.00	130	14.200
250E	15.00	130	14.500
240	15.00	130	13.600
240E	15.00	147	15.700
230	15.00	130	13.100
230E	15.00	147	15.100




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
260	18.00	130	17.200
250	20.00	130	18.000
240	18.00	130	15.900



WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
275	20.00	147	22.900
270	20.00	147	22.500
260	20.00	147	21.700
240	20.00	147	20.000



WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
285	20.00	130	19.800
270	20.00	130	18.400
260	20.00	130	17.500
250	20.00	130	17.100



WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
315	15.00	130	19.400
295W	15.00	130	18.600



RADIAL PATTERNS



UMW
Winter

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
260	21.00	130	18.800
250	21.00	130	18.100
240	21.00	130	17.500

UGW

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
250W	17.00	130	15.500
240W	17.00	130	15.200
230W	17.00	130	14.900

UAW

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
295W	13.00	130	14.400

URW

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
230	14.00	128	12.100
220	14.00	128	11.500
215	14.00	128	11.200
210	13.50	128	11.100

UX-1
Directional
Winter

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
240	13.00	128	12.500
230	13.50	128	12.100
220	13.50	128	11.800
215	13.50	128	11.400
210	13.00	128	10.900

UE-1

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
250	12.00	130	12.000
240	12.00	130	11.700
230	12.00	129	11.600
220	12.00	128	11.200
215	12.00	128	10.500
210	13.00	128	10.500

UM-30
Directional

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
270	18.00	130	18.600
260	18.00	130	17.400
250	18.00	130	16.600

USW
Directional
Winter

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
270	20.00	147	20.100
260	20.00	147	19.300
250	20.00	147	18.700

ECLIPSE

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
240E	14.00	130	14.000
230E	13.50	130	12.300
220E	14.00	130	12.800



UM-1

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
230	14.00	128	11.800
220	14.00	128	11.300
215	14.00	128	11.100


UM-6

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
220	14.00	128	11.500
215	13.50	128	11.100


UE-2

WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
215	10.00	127	10.000
210	10.00	99	7.500
210	10.00	118	8.900
210	10.00	127	9.600


RIB PATTERNS




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
205	13.00	127	10.800
186	13.00	124	9.800
165	13.00	103	7.100
165	13.00	118	8.100
156	11.00	99	5.500
150	11.00	96	5.200
150	11.00	99	5.400
140	11.00	93	4.800




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
205	13.00	128	10.800



WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
215	13.50	127	11.400
205	14.00	127	10.700
170	13.00	103	6.900
170	13.00	118	7.900
160	11.00	99	5.900
140	11.00	93	4.800




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
215	13.50	127	12.200
210	13.50	127	11.000
205	12.00	127	10.000
205	13.50	127	10.800
205	14.00	127	11.700
195	13.50	124	10.800
194	13.00	124	9.700
194	13.00	127	10.400
185	13.50	124	10.300
178	12.00	118	8.400
178	12.00	124	8.800
170	13.00	103	7.500
170	13.00	118	8.500
168	13.00	103	7.000
168	13.00	118	8.000
160	11.00	99	5.200
160	12.00	99	5.900
148	12.00	93	5.200
148	12.00	99	5.500
140	12.00	93	4.800
130	10.50	90	4.000
120	10.50	90	3.600




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
205	13.00	125	10.600
205	13.00	127	10.800
186	13.00	124	9.600
165	13.00	103	7.100
165	13.00	118	8.100
150	11.00	96	5.300
150	11.00	99	5.500
140	11.00	93	4.800



LUG PATTERNS




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
205	14.00	128	11.300




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
215	15.00	127	12.200
205	14.50	127	11.500
170	13.50	103	6.400
170	13.50	118	7.300
160	11.00	99	5.000
150	11.00	87	4.100
150	11.00	93	4.400
150	11.00	99	4.700




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
208	13.50	127	11.300




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
205	14.00	127	10.800




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
205	15.00	130	14.000




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
215	14.50	127	10.600
205	14.50	124	9.800
205	14.50	127	10.500
195	14.50	124	9.300
195	14.50	127	9.600
185	14.50	124	8.700
168	13.50	103	6.700
168	13.50	118	7.700
160	13.50	99	5.800
145	13.50	93	4.800
145	13.50	96	5.000



WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
205	13.50	128	11.300




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
215	15.00	127	11.600
205	14.00	127	10.800
205	15.00	127	11.300
195	14.50	127	11.100
185	14.50	124	10.400
178	14.50	118	9.300
170	14.00	103	7.100
170	14.00	118	8.100
160	13.50	99	6.700
150	11.00	93	4.900
150	11.00	99	5.200
140	11.00	93	4.200




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
205	14.00	127	10.700




CAR PATTERNS




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
176	8.00	87	4.100
156	8.00	87	3.600
150	9.50	93	3.800
138	8.00	82	3.400




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
195	9.00	120	5.700
170	9.00	118	4.600
165	9.00	119	5.200
150	9.00	119	4.600
145	7.50	119	4.000
140	7.50	119	3.900
135	7.50	119	3.800
130	7.00	119	3.400
125	6.50	119	3.200
120	6.50	124	3.100




WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
130	11.00	90	3.200



WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
150	9.00	87	4.000
120	10.00	90	3.200
115	10.00	87	3.000
105	8.50	82	2.300
100	8.50	76	2.100
95	8.00	76	1.900
90	8.00	76	1.700
85	8.00	66	1.400



WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
105	8.00	67	1.900



WIDTH (MM)	DEPTH (MM)	LENGTH (INCH)	WEIGHT (KG) / LENGTH (APPROX.)
150	9.00	87	3.600
130	10.50	87	3.500
125	10.50	66	2.700
120	10.50	90	3.100
115	10.50	82	2.800
110	9.00	82	2.500
105	9.00	76	2.200
100	9.00	76	2.000
95	8.50	66	1.600
90	8.50	66	1.500





UNIPATCH RUBBER LIMITED

10, Community Centre, Saket, New Delhi - 110017, INDIA

A Joint Venture with TECH, U.S.A.



Regd. Trade Mark of TECH, U.S.A.